

WDL-1500MFM

Color 15" Flush Mount LCD Monitor


- High resolution 1024 x 768
- 16.7M colors for true color rendition
- Multiple inputs - composite video, D-sub, HDMI
- Contrast ratio of 700:1
- Brightness of 250cd/m²
- Viewing angle - 140° (H) x 150° (V)
- On-screen menu display for feature and video adjustments
- Power supply included



Specification

Screen size	15" (diagonal)
Brightness	250cd/m ²
Contrast ratio	700:1
Max resolution	1024 (H) x 768 (V)
Colors	16.7M
Viewing angle	Up: 70° / down: 70° / right: 80° / left: 80°
Compatibility	PC: VESA standard VGA to XGA 60Hz / Video: NTSC, PAL SECAM (auto detection)
Frequency	Horizontal: 31.5 ~ 37.5 KHz / vertical: 56 ~ 75Hz
Input signals	Analog RGB, CVBS, HDMI
Input connectors	D-sub for RGB, BNC for CVBS, HDMI
OSD controls	Auto adjust, brightness & contrast, size & position, color control, language selection, OSD position, video control, input selection
Plug & play support	DDC 1/2B
Power management	VESA DPMS
Power consumption	Normal mode: T.B.D / DPMS mode: <4watts
Power supply	Input: AC100 ~ 240V, 50 ~ 60Hz / Output: DC12V, 4A
Temperature	Operating: -30°C ~ +85°C (-22°F ~ +185°F), Storage: -30°C ~ +85°C (-22°F ~ +185°F)
Humidity	Operating: 30% ~ 60%, storage: -5% ~ +70%
Dimensions (W x H x D)	355.6 x 305.6 x 42.0mm

Dimension



Functions

